

Zehnder Quaro

Hydronic operation

Product data sheet

always the best climate



Distinct shapes, strong, subtle design. The square design of Zehnder Quaro does not intrude but rather complements its surroundings. It is a perfect fit for any modern bathroom. Available in almost any colour and finish from the Zehnder colour chart. Timeless design through a geometric shape, which also makes for an impressive room divider.


Special benefits for hot water operation

- Flexible installation through right and left connections and 50mm centre connections

Advantages

- Stylish design through straight-edged clarity
- Ample spaces between tubes make cleaning easy
- Discreetly concealed bracket in square design matches the radiator
- Generous spaces between the tubes convenient for hanging towels
- Brushed stainless steel version ensures resistance to corrosion

Model overview



Painted version

Model	H mm	L mm	Heat output			Power electric heating element Watts
			75/65/20 °C Watts	70/55/20 °C Watts	55/45/20 °C Watts	
QA-100-030	971	300	299	244	159	300
QA-140-030	1403	300	421	345	225	300
QA-180-030	1835	300	543	445	290	300
QA-100-045	971	450	420	343	223	300
QA-140-045	1403	450	590	483	315	500
QA-180-045	1835	450	761	623	406	600
QA-100-060	971	600	533	436	284	300
QA-140-060	1403	600	749	613	400	600
QA-180-060	1835	600	966	791	515	900

H = height, L = length
75/65/20 = Nominal heat output according to EN 442

Chrome-plated version

Model	H mm	L mm	Heat output			Power electric heating element Watts
			75/65/20 °C Watts	70/55/20 °C Watts	55/45/20 °C Watts	
QAC-100-030	971	300	189	153	97.2	-
QAC-140-030	1403	300	270	219	139	300
QAC-180-030	1835	300	348	282	179	300
QAC-100-045	971	450	267	217	138	300
QAC-140-045	1403	450	381	309	197	300
QAC-180-045	1835	450	491	398	253	300
QAC-100-060	971	600	341	277	177	300
QAC-140-060	1403	600	486	394	251	300
QAC-180-060	1835	600	627	508	324	600

H = height, L = length

75/65/20 = Nominal heat output according to EN 442

Stainless steel version

Model	H mm	L mm	Heat output			Power electric heating element Watts
			75/65/20 °C Watts	70/55/20 °C Watts	55/45/20 °C Watts	
QAI-100-030	971	300	229	186	120	-
QAI-140-030	1403	300	321	261	168	300
QAI-180-030	1835	300	415	338	217	300
QAI-100-045	971	450	321	262	169	300
QAI-140-045	1403	450	450	367	236	300
QAI-180-045	1835	450	581	473	305	300
QAI-100-060	971	600	407	332	214	300
QAI-140-060	1403	600	572	466	301	300
QAI-180-060	1835	600	738	601	388	600

H = height, L = length

75/65/20 = Nominal heat output according to EN 442